2022 FORD MAVERICK

TECHNICAL SPECIFICATIONS



BODY

Body type Unibody SuperCrew® pickup

Construction High-strength steel frame, mild steel body panels

Trim levels XL, XLT, LARIAT

Final Assembly Location Hermosillo Assembly Plant, Sonora, Mexico

DRIVETRAIN LAYOUT

Standard Front engine, front-wheel drive

Optional Front engine, Intelligent All-Wheel Drive

ENGINES

	2.5-liter FHEV (Standard)	2.0L EcoBoost (Available)	
Configuration	Aluminum block and head, Atkinson cycle I-4	Aluminum block and head, I-4	
Manufacturing location	Chihuahua, Mexico	Cleveland, Ohio and Valencia, Spain	
Intake manifold	Composite	Composite	
Exhaust manifold	Integrated	Integrated	
Valvetrain	DOHC, IVCT	DOHC, Ti-VCT	
Pistons	Aluminum	Aluminum	
Connecting rods	Powder forged	Powder forged	
Bore and stroke	3.50 x 3.94 in.	3.44 x 3.27 in.	
Displacement	152 cu. In.	122 cu. in.	
Compression ratio	13.0:1	9.3:1	
Engine control system	Powertrain Control Module	Powertrain Control Module	
Crankshaft	Forged Steel	Forged Steel	
Horsepower*	162 hp @ 5600 rpm	250 hp @ 5500 rpm	
Torque*	155 lbft. @ 4000 rpm	277 lbft. @ 3000 rpm	
Total System Horsepower* (Hybrid)	191 hp	NA	
Fuel delivery	SMFI	GTDI	
Oil capacity	5.7 quarts	5.5 quarts	
Coolant capacity	11.6 quarts (gas engine)/4.7 quarts (electric)	9.2 quarts	

HYBRID SYSTEM

Electric motor type	Permanent magnet electric traction
Output	94 kW/173 lbft. battery peak
Battery cooling system	Liquid
Battery location	Passenger side under cabin

TRANSMISSION

2.5L FHEV	PowerSplit: Electronic continuously variable transmission
2.0L EcoBoost	8-speed automatic



GEAR RATIOS

		PowerSplit	
Configuration		Electronic continuously variable transmission	8-speed automatic
	First	N/A	4.69
	Second	N/A	3.31
	Third	N/A	3.01
Gear Ratios	Fourth	N/A	1.92
	Fifth	N/A	1.45
	Sixth	N/A	1
	Seventh	N/A	0.75
	Eighth	N/A	0.62
	Final Gear Ratio	2.91:1	3.63 standard/3.81 with 4K Trailer Tow Pkg
	Reverse	N/A	-2.96

SUSPENSION

303F E1131011		
	2.5L Hybrid	2.0 Ecoboost
Front	Independent MacPherson strut-type suspension with coil springs, twin-tube hydraulic gas-pressurized shocks, stabilizer bars, aluminum lower control arm, steel sub-frame and cast knuckle	Independent MacPherson strut-type suspension with coil springs, twin-tube hydraulic gas-pressurized shocks, stabilizer bars, aluminum lower control arm, steel sub-frame and cast knuckle
Rear (FWD)	Independent twistbeam rear suspension with integrated stabilizer bar, Ford patented "force vectoring springs,' twintube hydraulic gas-pressurized dampers	Independent twistbeam rear suspension with integrated stabilizer bar, Ford patented "force vectoring springs," twintube hydraulic gas-pressurized dampers
Rear (AWD)	N/A	Independent multi-link trailing arm suspension with twin-tube hydraulic gas-pressurized dampers, coil springs, stabilizer bar, steel sub-frame and cast knuckle
Rear (AWD/FX4)	N/A	Independent multi-link trailing arm suspension with mono-tube hydraulic gas-pressurized dampers with hydraulic rebound stop, coil springs, stabilizer bar, steel sub-frame and cast knuckle

STEERING - ELECTRONIC POWER-ASSISTED

Turning circle (curb-to-curb) 40 feet

BRAKES

Type

4-wheel disc brakes with ABS and regenerative braking system (hybrid)

4-wheel disc brakes with ABS

WHEELS

17-in. Steel Wheel Painted Sparkle Silver (XL)

Standard

17-in. Painted Aluminum Wheel (XLT)

18-in. Bright Aluminum Wheel (LARIAT)

17-in. Aluminum Wheel (available on XL and XLT)

Optional

17-in. Unique Aluminum Wheel (included in FX4 Off-Road Package on XLT and LARIAT)

18-in. Black Painted Wheel (LARIAT)

TIRES

225/65R17 A/S (standard)
225/65R17 A/T (optional)
225/60R18 A/S (optional)
235/65R17 A/T (optional)



LIGHTING

Headlamps	Standard LED, available LED with Signature Accent Lighting
Taillamps	Halogen

FORD CO-PILOT360™ TECHNOLOGIES

Standard	Auto High Beams, Autolamp, Pre-Collision Assist with Automatic Emergency Braking (includes Pedestrian Detection, Forward Collision Warning, Dynamic Brake Support) and Rear View Camera
Available	Adaptive Cruise Control with Stop & Go, Evasive Steering Assist, Lane Centering, Reverse Sensing System, BLIS® with Cross-Traffic Alert, Lane Departure Warning, Lane-Keeping Aid and Hill Descent Control

EXTERIOR DIMENSIONS (INCHES UNLESS OTHERWISE NOTED)

Wheelbase	121.1	
Vehicle Length	199.7	
Vehicle Height - Maximum	68.7	
Vehicle Width	72.6	
Body Width - Maximum	72.4	
Vehicle Width - Including Outside Mirrors	83.5	
Vehicle Width - with Mirrors Folded	77.9	
Vehicle Track Front Curb	63.4	
Vehicle Track Rear Curb	62.8	
Front Overhang	34.1	
Rear Overhang	44.5	
Front of Bumper to Back of Cab	137.6	
	FWD Hybrid (225/65/R17 Wheels)	AWD (235/65/17 Wheels)
Approach Angle	20.6°	21.6°
Departure Angle	21.9°	21.2°
Ramp Breakover Angle - Curb	16.6°	18.1°
Minimum Running Ground Clearance	8.3	8.6

INTERIOR DIMENSIONS (INCHES UNLESS OTHERWISE NOTED)

Effective Head Room - Front	40.3
Effective Head Room - Front (with moonroof)	38.0
Effective Head Room - Second	39.6
Effective Head Room - Second (with moonroof)	39.5
Maximum Leg Room - Accelerator	42.8
Effective Leg Room - Second	35.9 (2.5L Hybrid)/36.9 (2.0L)
Hip Room - Front	55.4
Hip Room - Second	54.1
Shoulder Room - Front	57.3
Shoulder Room Beltline - Second	55.6
Passenger Volume	100.3 cu. ft.

CARGO CAPACITIES (INCHES UNLESS OTHERWISE NOTED)

Lift-in Height	30.1
Box Rail to Box Floor Depth	20.3
Pickup Body Length at Floor	54.4
Cargo Width - Wheel House	42.6
Exposed Cargo Width	53.3
Cargo Volume	33.3 cu. ft.



FUEL CAPACITY (US GALLONS)

2.5-liter FHEV (FWD)	13.8	
2.0-liter EcoBoost (FWD/AWD)	16.5	

FUEL ECONOMY

2.5-liter Hybrid	42 mpg city	33 mpg highway	37 mpg combined
2.0-liter EcoBoost FWD	23 mpg city	30 mpg highway	26 mpg combined
2.0-liter EcoBoost AWD	22 mpg city	29 mpg highway	25 mpg combined

WEIGHTS (LBS.)

	2.5-liter FHEV (FWD)	2.0-liter EcoBoost (FWD/AWD)
Base Curb Weights	3,674	3,563 / 3,731
Maximum Payload	1,500	1,500
Maximum Towing	2,000	2,000 std; 4,000 with 4K Tow Package

TECHNOLOGY

Standard and Available Features Eight-inch center touch screen, Apple CarPlay® and Android Auto® compatibility, available SYNC® 3, 4.2-inch productivity screen, available 6.5-inch productivity screen, FordPass Connect® with Wi-Fi connectivity, FordPass® compatibility, two USB ports standard, four USB ports available, wireless charging available, two 12-volt pre-wired bed power sources, available 110-volt cab and bed outlets, available bed lighting, Drive Modes, available Hill Descent Control, available skid plates, LED headlamps, flip up rear seats, rear under seat storage, power windows, power locks, keyless entry, available power locking tailgate, air conditioning, electronic stability control, manual tilt/telescoping steering wheel

