Full Specification (Vauxhall ADAM ROCKS AIR)

The generously specced ROCKS AIR features the following as standard:

- Remote Central Door Locking with ROCKS design flap key
- CD 3.0 BT
- Speakers (6+1 speakers)
- DMB
- Leather wrapped steering wheel w/ Deco Elements, CCtrl & IRC
- ROCKS AIR interior visual content
- Cloth/Morrocana Seats
- ROCKS AIR exterior visual content: cladding, bumpers etc
- 17" alloys Swissblade design
- Deeply tinted glass "black" rear of B-Pillar incl. tailgate
- Electric folding canvas roof
- LED DRL Signature Lamps
- LED Tail lamps
- 15 mm raised chassis
- Chrome DLO
- Vauxhall sill plates

The following options are also available:

- IntelliLink
- Park Assist rear
- Floor Mats (standard w/ ROCKS AIR unique Brandy interior)
- Car Alarm
- Infinity Sound System
- Leather trim
- Interior decors painted / foil
- Backlighted foil decor
- Start / Stop
- 17" & 18 Alloy Wheels
- Exterior mirror caps
- Interior mirror caps
- Coloured logo bar

TECHNICAL DATA TRANSMISSIONS

Six-speed manual gearbox:

Standard on 1.0-litre ECOTEC 12v Direct Injection Turbo (115PS) ecoFLEX Start/Stop

Five speed manual gearbox:

Standard on all models except 1.0-litre ECOTEC

ECONOMY

	Max	0-62	Urban	Extra	Combined	CO_2	First	Second
	Speed	mph		Urban			Year	
1.2 16v VVT (70PS) (17/18)	103	14.9	39.2	65.7	53.3	125	£0	£110
1.4i 16v VVT (87PS) (17/18)	109	12.5	40.9	64.2	52.3	126	£0	£110
1.0 12v Direct Injection Turbo	121	9.9	44.8	64.2	55.4	119	£0	£30
ecoFLEX Start/Stop (17/18)								

BRAKES

Anti-lock Braking System

Electronic brake force distribution

Emergency brake assist

Cornering brake control

Straight line stability control

Dual circuit, diagonally split braking system

FUEL TANK CAPACITY

38 litres (8.4 gallons)

STEERING

Speed-sensitive power-assisted steering

SUSPENSION

Front: Independent. MacPherson struts with gas-pressure dampers and coil springs. Anti-roll bar.

Rear: Compound crank with coil springs and gas-pressure dampers.

ENGINES

PETROL

1.2I 16v VVT ECOTEC -4

Capacity 1229cc

Maximum power 70PS @ 5600rpm

Maximum torque 115Nm (85 lb.ft.) @ 4000rpm

Configuration 4 cylinders, 4 valves per cylinder, double overhead camshafts

Fuel/induction system Naturally aspirated. Variable Valve Timing (VVT).

Multi-point sequential fuel injection

Emission compliance Euro 5

Service interval 20,000 miles or 1 year (whichever occurs sooner)

Benefit in kind company car taxation rates – 2014/15 tax year

Without Start/Stop 18%

1.4i 16v VVT ECOTEC-4

Capacity 1398cc

Maximum power 87PS @ 6000rpm

Maximum torque 130Nm (96 lb.ft.) @ 4000rpm

Configuration 4 cylinders, 4 valves per cylinder, double overhead camshafts

Fuel/induction Naturally aspirated. Variable Valve Timing (VVT). Multi-point sequential

system fuel injection

Emission Euro 5

compliance

Service interval 20,000 miles or 1 year (whichever occurs sooner) Benefit in kind company car taxation rates – 2014/15 tax year – 18%

1.4i 16v VVT Turbo ECOTEC-4

Capacity 998cc

Maximum power 115PS @ 5200rpm

Maximum torque 170Nm (125lb.ft.) @ 1800-4500rpm

Configuration 3 cylinders, 4 valves per cylinder, double overhead camshafts

Fuel/induction Water-cooled turbocharger with intercooler, Variable Valve Timing (VVT),

system Central direct injection

Emission Euro 6

compliance

Service interval 20,000 miles or 1 year (whichever occurs sooner) Benefit in kind company car taxation rates – 2014/15 tax year – 16%

CHASSIS & BODY

Construction: Aluminium/steel monocoque

Spare: puncture repair kit

Wheels 17in = 215/45 R17

18in = 225/35 R18

WEIGHTS

(kg)

Kerbweight

1.2i 16v VVT	1036
1.4i 16v VVT (87PS)	1070
1.0i 12v Direct Injection Turbo (115PS)	1088

LOADSPACE DIMENSIONS

millimetres (inches)

Maximum length (behind rear seats)	462 (18.2)
Maximum length (rear seats folded)	1041 (41.0)
Maximum width	963 (37.9)
Width between wheel arches	954 (37.6)
Maximum height	874 (34.4)

LUGGAGE CAPACITIES*

	litres (cu.ft.)
Rear seats up (under luggage compartment cover)	170 (6.0)
Rear seats folded (to upper edge of front seat back)	484 (17.1)
Rear seats folded (to roof)	663 (23.4)